

PHILIPS

Emergency Care
Professional

Tempus Sell Sheet

TIME

for Tempus





Introduction

The **Tempus ALS** is a unique modular solution consisting of the Tempus Pro monitor and the Tempus LS defibrillator or the Tempus LS-Manual defibrillator for the US market.

The Tempus Pro and the Tempus LS/Tempus LS-Manual can work independently of one another to perform all of their monitoring and defibrillation functions and will pair together to form a complete system. In light of this, the Tempus Pro and the Tempus LS/Tempus LS-Manual are individual products, but for a complete system, please order one of the Tempus ALS packages.

A Tempus Pro can be ordered as a stand-alone monitor. A Tempus LS/Tempus LS-Manual can be ordered if a customer already owns a Tempus Pro monitor and needs the Tempus LS/Tempus LS-Manual defibrillator to complete a Tempus ALS system. Therefore, the Tempus LS defibrillator can only be purchased as an addition to the Tempus Pro patient monitor and not as a standalone.

Patient data collected by the Tempus Pro monitor and (optionally) by the Tempus LS/Tempus LS-Manual defibrillator is streamed securely to IntelliSpace Corsium, a cloud-based software platform that captures on-scene clinical patient data from the Tempus Pro. Rich data can be securely shared in near real-time and reviewed through a two-way communication for consultation by EMS HQ and/or hospital-based clinicians. The Tempus Pro is IntelliSpace Corsium ready and all that is required to facilitate the flow of data is an annual licence for each Tempus Pro. This triggers the transmission of the data on the hardware and also the activation of an IntelliSpace Corsium account on the cloud aspect. This is a Minimum Viable Proposition and we anticipate that this model will evolve moving forward.

This solution is designed for use by Military and Professional Prehospital EMS responders and is being sold globally into premium and mainstream markets.


How to use this guide


The purpose of this document is to provide an overview of the commercially available products, including monitoring and defibrillator options, supplies, licences and package options for the **USA, UK/Europe, and Australia, as well as Generic AAMI packages (including Thailand, Malaysia, and Singapore) and IEC packages**. It also includes notes, and order instructions to ensure clarity on what is included in every package, what needs to be ordered separately, and some additional options you might want to consider.


When accessing the quotation tool you will only see the packages available in the selected region. There are two types of packages: Tempus Pro and Tempus ALS (Tempus Pro monitor + Tempus LS/Tempus LS-Manual defibrillator). However, **the Tempus ALS packages do not include the defibrillator unit, which needs to be ordered separately.**


To place an order, please follow your local order management process. For any enquiries contact your Business Development Manager or Email: RDT_Customerservice@philips.com

Tempus Pro monitor options



Tempus Pro monitor options		
Part number	Description	Product photo
867422	Tempus Pro, Printer (rdt p/n 00-1024-R) Mains power supply AC power cord Lithium Ion Battery Tempus Pro User-Operator manual (CD-ROM)	
Option	Description	
B01	Military SpO ₂ , NIBP, ECG, EtCO ₂ , 1-channel contact temperature, ePCR export licence, patient data email licence, IntelliSpace Corsium Crew* ORDER WITH: EtCO₂, Temp & printer paper accessories	
B02	EMS SpO ₂ , NIBP, ECG, EtCO ₂ , 1-channel contact temperature ePCR export licence, patient data email licence, IntelliSpace Corsium Crew* ORDER WITH: EtCO₂, Temp & printer paper accessories	

Part number	Description	Product photo
867423	Tempus Pro, Printer, IBP (rdt p/n 00-1026-R) Mains power supply AC power cord Lithium Ion Battery Tempus Pro User-Operator manual (CD-ROM)	
Option	Description	
B01	Military SpO ₂ , NIBP, ECG, EtCO ₂ , IBP, 1-channel contact temperature, ePCR export licence, patient data email licence, IntelliSpace Corsium Crew* ORDER WITH: EtCO₂, Temp, IBP & printer paper accessories	
B02	EMS SpO ₂ , NIBP, ECG, EtCO ₂ , IBP, 1-channel contact temperature, ePCR export licence, patient data email licence, IntelliSpace Corsium Crew* ORDER WITH: EtCO₂, Temp, IBP & printer paper accessories	

Part number	Description	Product photo
867421	Tempus Pro, BT Dock (rdt p/n 00-1007-R) Mains power supply AC power cord Lithium Ion Battery Tempus Pro User-Operator manual (CD-ROM)	
Option	Description	
B01	Military SpO ₂ , NIBP, ECG, EtCO ₂ , 1-channel contact temperature, ePCR export licence, patient data email licence, IntelliSpace Corsium Crew* ORDER WITH: EtCO₂ & Temp accessories	


Part number	Description	Product photo
867420	Tempus Pro (rdt p/n 00-1004-R) Mains power supply AC power cord Lithium Ion Battery Tempus Pro User-Operator manual (CD-ROM)	
Option	Description	
B01	Military SpO ₂ , NIBP, ECG, EtCO ₂ , 1-channel contact temperature, ePCR export licence, patient data email licence, IntelliSpace Corsium Crew* ORDER WITH: EtCO₂ & Temp accessories	

Tempus LS defibrillators options


Tempus LS defibrillators options		
Part number	Description	Product photo
989706000221	Tempus LS (rdt p/n 00-3010) Manual and AED mode Mains power supply AC power cord - EU AC power cord - UK Lithium Ion Battery Tempus LS User-Operator manual (Memory stick)	
989706001681	Tempus LS-Manual (rdt p/n 00-3020) Manual mode only Mains power supply AC power cord - US Lithium Ion Battery Tempus LS-Manual User-Operator manual (Memory stick)	




Tempus packages - USA

P/N	Description	Product photo
867423	Tempus Pro, Printer, IBP (rdt p/n 00-1026-R) Mains power supply AC power cord Lithium Ion Battery Tempus Pro User-Operator manual (CD-ROM)	
Option	Description	
B70	US package 1 - Tempus Pro, Printer, IBP, NIBP, SpO2, ECG, EtCO2, 1-Channel contact temperature + Tempus LS-Manual (not included) 3-Lead ECG Cable (AAMI) 8ft Reusable NIBP Cuff - Adult Plus (28-40cm) NIBP Hose 8ft Masimo rainbow RC25-4RA 25-Pin, 4ft MasimoSET M-LNCS DBI Adt SpO ₂ Reusable Sensor Patient Data Email Licence ePCR Export Licence (WebAPI) 2-Channel Invasive Pressure Licence Contact Temperature Adaptor Cable Saddlebag for Tempus Pro - Left Tempus Pro Pouch Rail System - Left Tempus Pro Shoulder Strap (with locking mech) and 20G Fixings Kit Printer Paper with Grid 110mm (1 roll) ORDER WITH: Tempus LS-Manual 989706001681, Tempus LS-Manual Electrodes - Adult x1 989706010040, EtCO₂, Temp & IBP accessories	
B75	US package 5 - Tempus Pro, Printer, IBP, NIBP, SpO2, ECG, EtCO2, 1-Channel contact temperature + Tempus LS-Manual (not included) 3-Lead ECG Cable (AAMI) 8ft 4-Lead ECG Modular Cable (AAMI) 8ft 6-Lead ECG Modular Cable (AAMI) 8ft Reusable NIBP Cuff - Adult (23-33cm) NIBP Hose 8ft MasimoSET M-LNCS DBI Adt SpO ₂ Reusable Sensor Masimo SET rainbow Cable M-LNCS RC25-4RA EMS 25-Pin, 4ft Patient Data Email Licence ePCR Export Licence (WebAPI) 2-Channel Invasive Pressure Licence Contact Temperature Adaptor Cable Tempus Pro Pouch Rail System - Right Tempus Pro Pouch Rail System - Left Printer Paper with Grid 110mm (1 roll) ORDER WITH: Tempus LS-Manual 989706001681, Tempus LS-Manual Electrodes - Adult x1 989706010040, 12-Lead ECG license C01, Glasgow Interpretation Algorithm C03, EtCO₂, Temp & IBP accessories	
B69	US package 4 - Tempus Pro, Printer, IBP, NIBP, SpO2, ECG, EtCO2 & 1-Channel contact Temperature Reusable NIBP Cuff - Adult Plus (28-40cm) NIBP Hose 8ft Masimo rainbow RC25-4RA 25-Pin, 4ft MasimoSET M-LNCS DBI Adt SpO ₂ Reusable Sensor Patient Data Email Licence ePCR Export Licence (WebAPI) 2-Channel Invasive Pressure Licence Contact Temperature Adaptor Cable Saddlebag for Tempus Pro - Left Tempus Pro Pouch Rail System - Left Tempus Pro Shoulder Strap (with locking mech) and 20G Fixings Kit Printer Paper with Grid 110mm (1 roll) ORDER WITH: EtCO₂, Temp & IBP accessories	
B74	US package 8 -Tempus Pro, Printer, IBP, NIBP, SpO2, ECG, EtCO2 & 1-Channel contact Temperature 3-Lead ECG Cable (AAMI) 8ft 4-Lead ECG Modular Cable (AAMI) 8ft 6-Lead ECG Modular Cable (AAMI) 8ft Reusable NIBP Cuff - Adult (23-33cm) MasimoSET M-LNCS DBI Adt SpO ₂ Reusable Sensor Masimo SET rainbow Cable M-LNCS RC25-4RA EMS 25-Pin, 4ft Patient Data Email Licence ePCR Export Licence (WebAPI) 2-Channel Invasive Pressure Licence Contact Temperature Adaptor Cable Tempus Pro Pouch Rail System - Right Tempus Pro Pouch Rail System - Left Printer Paper with Grid 110mm (1 roll) ORDER WITH: 12-Lead ECG license C01 and Glasgow Interpretation Algorithm C03, EtCO2, Temp & IBP accessories	

Tempus packages - USA (continued)

P/N	Description	Product photo
867422	Tempus Pro, Printer (rdt p/n 00-1024-R) Mains power supply AC power cord Lithium Ion Battery Tempus Pro User-Operator manual (CD-ROM)	
Option	Description	
B71	US package 2 - Tempus Pro, Printer, NIBP, SpO2, ECG, EtCO2, 1-Channel contact temperature + Tempus LS-Manual (not included) 3-Lead ECG Cable (AAMI) 8ft Reusable NIBP Cuff - Adult Plus (28-40cm) NIBP Hose 8ft Masimo rainbow RC25-4RA 25-Pin, 4ft MasimoSET M-LNCS DBI Adt SpO ₂ Reusable Sensor Patient Data Email Licence ePCR Export Licence (WebAPI) Contact Temperature Adaptor Cable Saddlebag for Tempus Pro - Left Tempus Pro Pouch Rail System - Left Tempus Pro Shoulder Strap (with locking mech) and 20G Fixings Kit Printer Paper with Grid 110mm (1 roll) ORDER WITH: Tempus LS-Manual 989706001681 and Tempus LS-Manual Electrodes - Adult x1 989706010040, EtCO2 & Temp accessories	
B72	US package 6 - Tempus Pro, Printer, NIBP, SpO2, ECG, EtCO2, 1-Channel contact temperature + Tempus LS-Manual (not included) 3-Lead ECG Cable (AAMI) 8ft 4-Lead ECG Modular Cable (AAMI) 8ft 6-Lead ECG Modular Cable (AAMI) 8ft Reusable NIBP Cuff - Adult (23-33cm) NIBP Hose 8ft MasimoSET M-LNCS DBI Adt SpO ₂ Reusable Sensor Masimo SET rainbow Cable M-LNCS RC25-4RA EMS 25-Pin, 4ft Patient Data Email Licence ePCR Export Licence (WebAPI) Contact Temperature Adaptor Cable Tempus Pro Pouch Rail System - Right Tempus Pro Pouch Rail System - Left Printer Paper with Grid 110mm (1 roll) ORDER WITH: Tempus LS-Manual 989706001681, Tempus LS-Manual Electrodes - Adult x1 989706010040, 12-Lead ECG license C01, Glasgow Interpretation Algorithm C03, EtCO₂ & Temp accessories	
B68	US package 3 - Tempus Pro, Printer, NIBP, SpO2, ECG, EtCO2 & 1-Channel contact Temperature Reusable NIBP Cuff - Adult Plus (28-40cm) NIBP Hose 8ft Masimo rainbow RC25-4RA 25-Pin, 4ft MasimoSET M-LNCS DBI Adt SpO ₂ Reusable Sensor Patient Data Email Licence ePCR Export Licence (WebAPI) Contact Temperature Adaptor Cable Saddlebag for Tempus Pro - Left Tempus Pro Pouch Rail System - Left Tempus Pro Shoulder Strap (with locking mech) and 20G Fixings Kit Printer Paper with Grid 110mm (1 roll) ORDER WITH: EtCO₂ & Temp accessories	
B73	US package 7 - Tempus Pro, Printer 3-Lead ECG Cable (AAMI) 8ft 4-Lead ECG Modular Cable (AAMI) 8ft 6-Lead ECG Modular Cable (AAMI) 8ft Reusable NIBP Cuff - Adult (23-33cm) NIBP Hose 8ft MasimoSET M-LNCS DBI Adt SpO ₂ Reusable Sensor Masimo SET rainbow Cable M-LNCS RC25-4RA EMS 25-Pin, 4ft Patient Data Email Licence ePCR Export Licence (WebAPI) Contact Temperature Adaptor Cable Tempus Pro Pouch Rail System - Right Tempus Pro Pouch Rail System - Left Printer Paper with Grid 110mm (1 roll) ORDER WITH: 12-Lead ECG license C01 and Glasgow Interpretation Algorithm C03, EtCO₂ & Temp accessories	

Tempus packages - UK/EU EMS

Part number	Description	Product photo
867423	Tempus Pro, Printer, IBP (rdt p/n 00-1026-R) Mains power supply AC power cord Lithium Ion Battery Tempus Pro User-Operator manual (CD-ROM)	
Option	Description	
B64	EMS UK/EU Package 1 - Tempus Pro, Printer, IBP, NIBP, SpO2, ECG, EtCO2, 1-Channel contact Temperature + Tempus LS (not included) 3-Lead ECG Cable (IEC) 8ft 4-Lead ECG Modular Cable (IEC) 8ft 6-Lead ECG Modular Cable (IEC) 8ft Reusable NIBP Cuff - Adult Plus (28-40cm) NIBP Hose 8ft Masimo rainbow RC25-4RA 25-Pin, 4ft MasimoSET M-LNCS DBI Adt SpO ₂ Reusable Sensor Patient Data Email Licence ePCR Export Licence (WebAPI) IntelliSpace Corsium Crew Licence 2-Channel Invasive Pressure Licence Tempus LS Electrodes - Adult x1 ORDER WITH: Tempus LS 989706000221, 12-Lead ECG license C01, Glasgow Interpretation Algorithm C03, EtCO₂, Temp, IBP & Printer paper accessories	
B63	EMS UK/EU package 4 - Tempus Pro, Printer, IBP, NIBP, SpO2, ECG, EtCO2 & 1-Channel contact Temperature 3-Lead ECG Cable (IEC) 8ft Reusable NIBP Cuff - Adult Plus (28-40cm) NIBP Hose 8ft Masimo rainbow RC25-4RA 25-Pin, 4ft MasimoSET M-LNCS DBI Adt SpO ₂ Reusable Sensor Patient Data Email Licence ePCR Export Licence (WebAPI) IntelliSpace Corsium Crew Licence 2-Channel Invasive Pressure Licence ORDER WITH: EtCO₂, Temp, IBP & Printer paper accessories	
B66	UK NHS package 1 - Tempus Pro, Printer, IBP, NIBP, SpO2, ECG, EtCO2, 1-Channel contact temperature + Tempus LS (not included) 3-Lead ECG Cable (IEC) 8ft 4-Lead ECG Modular Cable (IEC) 8ft 6-Lead ECG Modular Cable (IEC) 8ft Reusable NIBP Cuff - Adult Plus (28-40cm) NIBP Hose 8ft Masimo rainbow RC25-4RA 25-Pin, 4ft MasimoSET M-LNCS DBI Adt SpO ₂ Reusable Sensor Patient Data Email Licence ePCR Export Licence (WebAPI) IntelliSpace Corsium Crew Licence 2-Channel Invasive Pressure Licence Tempus Pro Smart Mount Tempus LS Mount Tempus LS Electrodes - Adult x1 ORDER WITH: Tempus LS 989706000221, 12-Lead ECG license C01, Glasgow Interpretation Algorithm C03, EtCO₂, Temp, IBP & Printer	


Tempus packages - UK/EU EMS (continued)

Part number	Description	Product photo
867422	Tempus Pro, Printer (rdt p/n 00-1024-R) Mains power supply AC power cord Lithium Ion Battery Tempus Pro User-Operator manual (CD-ROM)	
Option	Description	
B65	EMS UK/EU package 2 - Tempus Pro, Printer, SpO2, NIBP, ECG, EtCO2, 1-Channel contact temperature + Tempus LS (not included) 3-Lead ECG Cable (IEC) 8ft 4-Lead ECG Modular Cable (IEC) 8ft 6-Lead ECG Modular Cable (IEC) 8ft Reusable NIBP Cuff - Adult Plus (28-40cm) NIBP Hose 8ft Masimo rainbow RC25-4RA 25-Pin, 4ft MasimoSET M-LNCS DBI Adt SpO ₂ Reusable Sensor Patient Data Email Licence ePCR Export Licence (WebAPI) IntelliSpace Corsium Crew Licence Tempus LS Electrodes - Adult x1 ORDER WITH: Tempus LS 989706000221, 12-Lead ECG license C01, Glasgow Interpretation Algorithm C03, EtCO₂, Temp & Printer paper accessories	
B62	EMS UK/EU package 3 - Tempus Pro, Printer, SpO2, NIBP, ECG, EtCO2 & 1-Channel contact temperature 3-Lead ECG Cable (IEC) 8ft Reusable NIBP Cuff - Adult Plus (28-40cm) NIBP Hose 8ft Masimo rainbow RC25-4RA 25-Pin, 4ft MasimoSET M-LNCS DBI Adt SpO ₂ Reusable Sensor Patient Data Email Licence ePCR Export Licence (WebAPI) IntelliSpace Corsium Crew Licence ORDER WITH: EtCO₂, Temp & Printer paper accessories	
B67	UK NHS package 2 - Tempus Pro, Printer, SpO2, NIBP, ECG, EtCO2, 1-Channel contact temperature + Tempus LS (not included) 3-Lead ECG Cable (IEC) 8ft 4-Lead ECG Modular Cable (IEC) 8ft 6-Lead ECG Modular Cable (IEC) 8ft Reusable NIBP Cuff - Adult Plus (28-40cm) NIBP Hose 8ft Masimo rainbow RC25-4RA 25-Pin, 4ft MasimoSET M-LNCS DBI Adt SpO ₂ Reusable Sensor Patient Data Email Licence ePCR Export Licence (WebAPI) IntelliSpace Corsium Crew Licence Tempus Pro Smart Mount Tempus LS Mount Tempus LS Electrodes - Adult x1 ORDER WITH: Tempus LS 989706000221, 12-Lead ECG license C01, Glasgow Interpretation Algorithm C03, EtCO₂, Temp & Printer paper accessories	


Tempus packages - UK Military

Part number	Description	Product photo
867421	Tempus Pro, BT Dock (rdt p/n 00-1007-R) Mains power supply AC power cord Lithium Ion Battery Tempus Pro User-Operator manual (CD-ROM)	
Option	Description	
B76	Military DHC package 1 - Tempus Pro, BT Dock, SpO2, NIBP, ECG, EtCO2 & 1-Channel contact temperature Reusable NIBP Cuff - Adult (23-33cm) NIBP Hose 4ft 4-Lead ECG Modular Cable (IEC) 8ft 6-Lead ECG Modular Cable (IEC) 8ft Masimo rainbow RC25-4RA 25-Pin, 4ft MasimoSET M-LNCS DBI Adt SpO ₂ Reusable Sensor Patient Data Email Licence ePCR Export Licence (WebAPI) IntelliSpace Corsium Crew Licence IBP 2-Channel Universal Cable Transpac & ArtLine Adaptor Cable Tempus Pro Litter/Pole Clamp Tempus Pro Hard Transit Case ORDER WITH: 12-Lead ECG license C01, Glasgow Interpretation Algorithm C03, ST & QT Real Time Licence C02, IBP 2-Channel Invasive Pressure Licence C07, EtCO₂ & Temp accessories	
B77	Military DHC package 2 - Tempus Pro, BT Dock, SpO2, NIBP, ECG, EtCO2 & 1-Channel contact temperature Reusable NIBP Cuff - Adult (23-33cm) NIBP Hose 4ft 4-Lead ECG Trunk Cable (IEC) 8ft 6-Lead ECG Modular Cable (IEC) 8ft Patient Data Email Licence ePCR Export Licence (WebAPI) IntelliSpace Corsium Crew Licence ORDER WITH: 12-Lead ECG license C01, Glasgow Interpretation Algorithm C03 and IBP 2-Channel Invasive Pressure Licence C07, EtCO₂, Temp & IBP accessories	
B78	Military PHC package 1 - Tempus Pro, BT Dock, SpO2, NIBP, ECG, EtCO2 & 1-Channel contact temperature Reusable NIBP Cuff - Adult (23-33cm) NIBP Hose 4ft 4-Lead ECG Trunk Cable (IEC) 8ft 6-Lead ECG Modular Cable (IEC) 8ft Masimo rainbow RC25-4RA 25-Pin, 4ft MasimoSET M-LNCS DBI Adt SpO ₂ Reusable Sensor Patient Data Email Licence ePCR Export Licence (WebAPI) IntelliSpace Corsium Crew Licence Reusable Contact Temperature Probe Tempus Pro Litter/Pole Clamp Tempus Pro Hard Transit Case ORDER WITH: 12-Lead ECG license C01 and Glasgow Interpretation Algorithm C03, EtCO₂ & Temp accessories	
B79	Military PHC package 2 - Tempus Pro, BT Dock, SpO2, NIBP, ECG, EtCO2 & 1-Channel contact temperature Reusable NIBP Cuff - Adult (23-33cm) NIBP Hose 4ft 4-Lead ECG Modular Cable (IEC) 8ft 6-Lead ECG Modular Cable (IEC) 8ft Patient Data Email Licence ePCR Export Licence (WebAPI) IntelliSpace Corsium Crew Licence ORDER WITH: 12-Lead ECG license C01 and Glasgow Interpretation Algorithm C03, EtCO₂ & Temp accessories	

Tempus packages - UK Military (continued)

Part number	Description	Product photo
867423	Tempus Pro, Printer, IBP (rdt p/n 00-1026-R) Mains power supply AC power cord Lithium Ion Battery Tempus Pro User-Operator manual (CD-ROM)	
Option	Description	
B80	Military TP package 1 - Tempus Pro, BT Dock, SpO2, NIBP, ECG, EtCO2 & 1-Channel contact temperature Reusable NIBP Cuff - Adult (23-33cm) NIBP Hose 4ft 4-Lead ECG Modular Cable (IEC) 8ft 6-Lead ECG Modular Cable (IEC) 8ft Masimo rainbow RC25-4RA 25-Pin, 4ft MasimoSET M-LNCS DBI Adt SpO ₂ Reusable Sensor Patient Data Email Licence ePCR Export Licence (WebAPI) IntelliSpace Corsium Crew Licence 2-Channel Invasive Pressure Licence IBP 2-Channel Universal Cable Transpac & ArtLine Adaptor Cable Tempus Pro Litter/Pole Clamp Tempus Pro Hard Transit Case ORDER WITH: 12-Lead ECG license C01, Glasgow Interpretation Algorithm C03 and ST & QT Real Time Licence C02, EtCO₂, Temp & Printer paper accessories	

Tempus packages - AUSTRALIA

Part number	Description	Product photo
867423	Tempus Pro, Printer, IBP (rdt p/n 00-1026-R) Mains power supply AC power cord Lithium Ion Battery Tempus Pro User-Operator manual (CD-ROM)	

Option	Description
B56	AUS package 1 - Tempus Pro, Printer, IBP, NIBP, SpO2, ECG, EtCO2, 1-Channel contact temperature + Tempus LS (not included) 3-Lead ECG Cable (AAMI) 8ft 4-Lead ECG Modular Cable (AAMI) 8ft 6-Lead ECG Modular Cable (AAMI) 8ft Reusable NIBP Cuff - Adult Plus (28-40cm) NIBP Hose 8ft Masimo rainbow RC25-4RA 25-Pin, 4ft MasimoSET M-LNCS DBI Adt SpO ₂ Reusable Sensor Patient Data Email Licence ePCR Export Licence (WebAPI) IntelliSpace Corsium Crew Licence 2-Channel Invasive Pressure Licence Tempus LS Electrodes - Adult x1 ORDER WITH: Tempus LS 989706000221, 12-Lead ECG license C01, Glasgow Interpretation Algorithm C03, EtCO₂, Temp, IBP & Printer paper accessories


B55	AUS package 4 - Tempus Pro, Printer, IBP, NIBP, SpO2, ECG, EtCO2 & 1-Channel contact temperature 3-Lead ECG Cable (AAMI) 8ft Reusable NIBP Cuff - Adult Plus (28-40cm) NIBP Hose 8ft Masimo rainbow RC25-4RA 25-Pin, 4ft MasimoSET M-LNCS DBI Adt SpO ₂ Reusable Sensor Patient Data Email Licence ePCR Export Licence (WebAPI) IntelliSpace Corsium Crew Licence 2-Channel Invasive Pressure Licence ORDER WITH: EtCO₂, Temp, IBP & Printer paper accessories
-----	--

Part number	Description	Product photo
867422	Tempus Pro, Printer (rdt p/n 00-1024-R) Mains power supply AC power cord Lithium Ion Battery Tempus Pro User-Operator manual (CD-ROM)	

Option	Description
B57	AUS package 2 - Tempus Pro, Printer, SpO2, NIBP, ECG, EtCO2, 1-Channel contact temperature + Tempus LS (not included) 3-Lead ECG Cable (AAMI) 8ft 4-Lead ECG Modular Cable (AAMI) 8ft 6-Lead ECG Modular Cable (AAMI) 8ft Reusable NIBP Cuff - Adult Plus (28-40cm) NIBP Hose 8ft Masimo rainbow RC25-4RA 25-Pin, 4ft MasimoSET M-LNCS DBI Adt SpO ₂ Reusable Sensor Patient Data Email Licence ePCR Export Licence (WebAPI) IntelliSpace Corsium Crew Licence Tempus LS Electrodes - Adult x1 ORDER WITH: Tempus LS 989706000221, 12-Lead ECG license C01, Glasgow Interpretation Algorithm C03, EtCO₂, Temp & Printer paper accessories

B54	AUS package 3 -Tempus Pro, Printer, SpO2, NIBP, ECG, EtCO2 & 1-Channel contact temperature 3-Lead ECG Cable (AAMI) 8ft Reusable NIBP Cuff - Adult Plus (28-40cm) NIBP Hose 8ft Masimo rainbow RC25-4RA 25-Pin, 4ft MasimoSET M-LNCS DBI Adt SpO ₂ Reusable Sensor Patient Data Email Licence ePCR Export Licence (WebAPI) IntelliSpace Corsium Crew Licence ORDER WITH: EtCO₂, Temp & Printer paper accessories
-----	--

Tempus generic packages - AAMI (including Thailand, Malaysia and Singapore)

Part number	Description	Product photo
867423	Tempus Pro, Printer, IBP (rdt p/n 00-1026-R) Mains power supply AC power cord Lithium Ion Battery Tempus Pro User-Operator manual (CD-ROM)	


Option	Description
B52	AAMI package 1 - Tempus Pro, Printer, IBP, NIBP, SpO2, ECG, EtCO2, 1-Channel contact temperature + Tempus LS (not included) 3-Lead ECG Cable (AAMI) 8ft 4-Lead ECG Modular Cable (AAMI) 8ft 6-Lead ECG Modular Cable (AAMI) 8ft Reusable NIBP Cuff - Adult Plus (28-40cm) NIBP Hose 8ft Masimo RD rainbow SET RA Cable 25-Pin 5ft Masimo RD SET DBI Adult Soft Reusable Sensor 3ft Patient Data Email Licence ePCR Export Licence (WebAPI) IntelliSpace Corsium Crew Licence 2-Channel Invasive Pressure Licence Tempus LS Electrodes - Adult x1 ORDER WITH: Tempus LS 989706000221, 12-Lead ECG license C01, Glasgow Interpretation Algorithm C03, EtCO₂, Temp, IBP & Printer paper accessories

B51	AAMI package 4 - Tempus Pro, Printer, IBP, NIBP, SpO2, ECG, EtCO2 & 1-Channel contact temperature 3-Lead ECG Cable (AAMI) 8ft Reusable NIBP Cuff - Adult Plus (28-40cm) NIBP Hose 8ft Masimo RD rainbow SET RA Cable 25-Pin 5ft Masimo RD SET DBI Adult Soft Reusable Sensor 3ft Patient Data Email Licence ePCR Export Licence (WebAPI) IntelliSpace Corsium Crew Licence 2-Channel Invasive Pressure Licence ORDER WITH: EtCO₂, Temp, IBP & Printer paper accessories
-----	--

Tempus generic packages - AAMI (continued)
(including Thailand, Malaysia and Singapore)

Part number	Description	Product photo
867422	Tempus Pro, Printer (rdt p/n 00-1024-R) Mains power supply AC power cord Lithium Ion Battery Tempus Pro User-Operator manual (CD-ROM)	
Option	Description	
B53	AAMI package 2 - Tempus Pro, Printer, NIBP, SpO2, ECG, EtCO2, 1-Channel contact temperature + Tempus LS (not included) 3-Lead ECG Cable (AAMI) 8ft 4-Lead ECG Modular Cable (AAMI) 8ft 6-Lead ECG Modular Cable (AAMI) 8ft Reusable NIBP Cuff - Adult Plus (28-40cm) NIBP Hose 8ft Masimo RD rainbow SET RA Cable 25-Pin 5ft Masimo RD SET DBI Adult Soft Reusable Sensor 3ft Patient Data Email Licence ePCR Export Licence (WebAPI) IntelliSpace Corsium Crew Licence Tempus LS Electrodes - Adult x1 ORDER WITH: Tempus LS 989706000221, 12-Lead ECG license C01, Glasgow Interpretation Algorithm C03, EtCO₂, Temp & Printer paper accessories	
B50	AAMI package 3 - Tempus Pro, Printer, NIBP, SpO2, ECG, EtCO2 & 1-Channel contact temperature 3-Lead ECG Cable (AAMI) 8ft Reusable NIBP Cuff - Adult Plus (28-40cm) NIBP Hose 8ft Masimo RD rainbow SET RA Cable 25-Pin 5ft Masimo RD SET DBI Adult Soft Reusable Sensor 3ft Patient Data Email Licence ePCR Export Licence (WebAPI) IntelliSpace Corsium Crew Licence ORDER WITH: EtCO₂, Temp & Printer paper accessories	

Tempus generic packages - IEC

Part number	Description	Product photo
867423	Tempus Pro, Printer, IBP (rdt p/n 00-1026-R) Mains power supply AC power cord Lithium Ion Battery Tempus Pro User-Operator manual (CD-ROM)	
Option	Description	
B60	IEC package 1 - Tempus Pro, Printer, IBP, NIBP, SpO2, ECG, EtCO2, 1-Channel contact temperature + Tempus LS (not included) 3-Lead ECG Cable (IEC) 8ft 4-Lead ECG Modular Cable (IEC) 8ft 6-Lead ECG Modular Cable (IEC) 8ft Reusable NIBP Cuff - Adult Plus (28-40cm) NIBP Hose 8ft Masimo RD rainbow SET RA Cable 25-Pin 5ft Masimo RD SET DBI Adult Soft Reusable Sensor 3ft Patient Data Email Licence ePCR Export Licence (WebAPI) IntelliSpace Corsium Crew Licence 2-Channel Invasive Pressure Licence Tempus LS Electrodes - Adult x1 ORDER WITH: Tempus LS 989706000221, 12-Lead ECG license C01, Glasgow Interpretation Algorithm C03, EtCO₂, Temp, IBP & Printer paper accessories	
B59	IEC package 4 - Tempus Pro, Printer, IBP, NIBP, SpO2, ECG, EtCO2 & 1-Channel contact temperature 3-Lead ECG Cable (IEC) 8ft Reusable NIBP Cuff - Adult Plus (28-40cm) NIBP Hose 8ft Masimo RD rainbow SET RA Cable 25-Pin 5ft Masimo RD SET DBI Adult Soft Reusable Sensor 3ft Patient Data Email Licence ePCR Export Licence (WebAPI) IntelliSpace Corsium Crew Licence 2-Channel Invasive Pressure Licence ORDER WITH: EtCO₂, Temp, IBP & Printer paper accessories	

Part number	Description	Product photo
867422	Tempus Pro, Printer (rdt p/n 00-1024-R) Mains power supply AC power cord Lithium Ion Battery Tempus Pro User-Operator manual (CD-ROM)	
Option	Description	
B61	IEC package 2 - Tempus Pro, Printer, NIBP, SpO2, ECG, EtCO2, 1-Channel contact temperature + Tempus LS (not included) 3-Lead ECG Cable (IEC) 8ft 4-Lead ECG Modular Cable (IEC) 8ft 6-Lead ECG Modular Cable (IEC) 8ft Reusable NIBP Cuff - Adult Plus (28-40cm) NIBP Hose 8ft Masimo RD rainbow SET RA Cable 25-Pin 5ft Masimo RD SET DBI Adult Soft Reusable Sensor 3ft Patient Data Email Licence ePCR Export Licence (WebAPI) IntelliSpace Corsium Crew Licence Tempus LS Electrodes - Adult x1 ORDER WITH: Tempus LS 989706000221, 12-Lead ECG license C01, Glasgow Interpretation Algorithm C03, EtCO₂, Temp & Printer paper accessories	
B58	IEC package 3 - Tempus Pro, Printer, NIBP, SpO2, ECG, EtCO2 & 1-Channel contact temperature 3-Lead ECG Cable (IEC) 8ft Reusable NIBP Cuff - Adult Plus (28-40cm) NIBP Hose 8ft Masimo RD rainbow SET RA Cable 25-Pin 5ft Masimo RD SET DBI Adult Soft Reusable Sensor 3ft Patient Data Email Licence ePCR Export Licence (WebAPI) IntelliSpace Corsium Crew Licence ORDER WITH: EtCO₂, Temp & Printer paper accessories	

Tempus Pro Factory Software Options

Part number	Option	Name	Description
867420	C01	12-Lead ECG License	This factory feature software can only be ordered with device hardware. This software requires C03 Glasgow ECG Algorithm. Please order ECG cables separately (note: ECG cable(s) may already be included in some packages).
867421	C01	12-Lead ECG License	This factory feature software can only be ordered with device hardware. This software requires C03 Glasgow ECG Algorithm. Please order ECG cables separately (note: ECG cable(s) may already be included in some packages).
867422	C01	12-Lead ECG License	This factory feature software can only be ordered with device hardware. This software requires C03 Glasgow ECG Algorithm. Please order ECG cables separately (note: ECG cable(s) may already be included in some packages).
867423	C01	12-Lead ECG License	This factory feature software can only be ordered with device hardware. This software requires C03 Glasgow ECG Algorithm. Please order ECG cables separately (note: ECG cable(s) may already be included in some packages).
867420	C07	2-Channel Invasive Pressure Licence	Licence to activate two channels of invasive blood pressure. This factory feature software can only be ordered with device hardware.
867421	C07	2-Channel Invasive Pressure Licence	Licence to activate two channels of invasive blood pressure. This factory feature software can only be ordered with device hardware.
867420	C08	2nd Channel Contact Temp Licence	Licence to activate and use both channels of contact temperature simultaneously. This factory feature software can only be ordered with device hardware. Please order temperature probes separately.
867421	C08	2nd Channel Contact Temp Licence	Licence to activate and use both channels of contact temperature simultaneously. This factory feature software can only be ordered with device hardware. Please order temperature probes separately.
867422	C08	2nd Channel Contact Temp Licence	Licence to activate and use both channels of contact temperature simultaneously. This factory feature software can only be ordered with device hardware. Please order temperature probes separately.
867423	C08	2nd Channel Contact Temp Licence	Licence to activate and use both channels of contact temperature simultaneously. This factory feature software can only be ordered with device hardware. Please order temperature probes separately.
867420	C02	ST & QT Real Time Licence	Software licence to activate ST & QT Real-Time Analysis and Alarming. This factory feature software can only be ordered with device hardware.
867421	C02	ST & QT Real Time Licence	Software licence to activate ST & QT Real-Time Analysis and Alarming. This factory feature software can only be ordered with device hardware.
867422	C02	ST & QT Real Time Licence	Software licence to activate ST & QT Real-Time Analysis and Alarming. This factory feature software can only be ordered with device hardware.
867423	C02	ST & QT Real Time Licence	Software licence to activate ST & QT Real-Time Analysis and Alarming. This factory feature software can only be ordered with device hardware.
867420	C03	Glasgow ECG algorithm	Licence to activate the Glasgow 12 lead ECG algorithm in the Tempus Pro. Provides automated interpretation of ECGs. Can only be purchased with C01.
867421	C03	Glasgow ECG algorithm	Licence to activate the Glasgow 12 lead ECG algorithm in the Tempus Pro. Provides automated interpretation of ECGs. Can only be purchased with C01.
867422	C03	Glasgow ECG algorithm	Licence to activate the Glasgow 12 lead ECG algorithm in the Tempus Pro. Provides automated interpretation of ECGs. Can only be purchased with C01.
867423	C03	Glasgow ECG algorithm	Licence to activate the Glasgow 12 lead ECG algorithm in the Tempus Pro. Provides automated interpretation of ECGs. Can only be purchased with C01.
867420	M03	Masimo rainbow SpMet Factory License	Factory license for Methemoglobin (SpMet).
867421	M03	Masimo rainbow SpMet Factory License	Factory license for Methemoglobin (SpMet).
867422	M03	Masimo rainbow SpMet Factory License	Factory license for Methemoglobin (SpMet).
867423	M03	Masimo rainbow SpMet Factory License	Factory license for Methemoglobin (SpMet).

Tempus Pro Factory Software Options (continued)

Part number	Option	Name	Description
867420	M04	Masimo rainbow SpCO Factory License	Factory license for Carboxyhemoglobin (SpCO).
867421	M04	Masimo rainbow SpCO Factory License	Factory license for Carboxyhemoglobin (SpCO).
867422	M04	Masimo rainbow SpCO Factory License	Factory license for Carboxyhemoglobin (SpCO).
867423	M04	Masimo rainbow SpCO Factory License	Factory license for Carboxyhemoglobin (SpCO).
867420	M05	Masimo rainbow PVI Factory License	Factory license for Pleth Variability Index (PVI).
867421	M05	Masimo rainbow PVI Factory License	Factory license for Pleth Variability Index (PVI).
867422	M05	Masimo rainbow PVI Factory License	Factory license for Pleth Variability Index (PVI).
867423	M05	Masimo rainbow PVI Factory License	Factory license for Pleth Variability Index (PVI).
867420	M02	Masimo rainbow SpHb&SpOC Factory License	Factory license for Masimo Rainbow Total Hemoglobin (SpHb) & SpOC.
867421	M02	Masimo rainbow SpHb&SpOC Factory License	Factory license for Masimo Rainbow Total Hemoglobin (SpHb) & SpOC.
867422	M02	Masimo rainbow SpHb&SpOC Factory License	Factory license for Masimo Rainbow Total Hemoglobin (SpHb) & SpOC.
867423	M02	Masimo rainbow SpHb&SpOC Factory License	Factory license for Masimo Rainbow Total Hemoglobin (SpHb) & SpOC.



Hardware Factory Options

Part number	Option	Name	Description
867420	E01	Tempus Pro Rail Syst-Left	Tempus Pro Rail System-Left
867421	E01	Tempus Pro Rail Syst-Left	Tempus Pro Rail System-Left
867422	E01	Tempus Pro Rail Syst-Left	Tempus Pro Rail System-Left
867423	E01	Tempus Pro Rail Syst-Left	Tempus Pro Rail System-Left
867420	E02	Tempus Pro Rail Syst-Right	Tempus Pro Rail System-Right
867421	E02	Tempus Pro Rail Syst-Right	Tempus Pro Rail System-Right
867422	E02	Tempus Pro Rail Syst-Right	Tempus Pro Rail System-Right
867423	E02	Tempus Pro Rail Syst-Right	Tempus Pro Rail System-Right
867420	E03	Tempus Pro Shoulder Strap	Tempus Pro Shoulder Strap
867421	E03	Tempus Pro Shoulder Strap	Tempus Pro Shoulder Strap
867422	E03	Tempus Pro Shoulder Strap	Tempus Pro Shoulder Strap
867423	E03	Tempus Pro Shoulder Strap	Tempus Pro Shoulder Strap
867422	E04	Inseego 4G Dongle Kit	Inseego 4G Dongle Kit (only for parts 867422 & 867423)
867423	E04	Inseego 4G Dongle Kit	Inseego 4G Dongle Kit (only for parts 867422 & 867423)
867420	E05	Tempus Pro DHC Label	Tempus Pro DHC Label (only for parts 867420 & 867421 with IBP option (C07) selected)
867421	E05	Tempus Pro DHC Label	Tempus Pro DHC Label (only for parts 867420 & 867421 with IBP option (C07) selected)

IntelliSpace Corsium Data Management Options

12NC number	RDT P/N	Options	Description
989706010001	05-2068	IntelliSpace Corsium ReachBak (8*5)	Enables the operator of the Tempus Pro to send live monitoring data, SROc events and 12-Lead ECG recordings to the IntelliSpace Corsium support centre. It also allows the transmission of Tempus LS resuscitation data and Tempus Pro continuous waveform data (only provisioned during resuscitation). It enables two-way communication. Following the transmission of the 12-Lead ECG, the IntelliSpace Corsium user can send ECG review results back to the Tempus Pro, and the Tempus Pro operator to send review acknowledgements back to IntelliSpace Corsium. Includes support 8*5- annual cost.
989706010002	05-2069	IntelliSpace Corsium Support Centre Acc	An account for a remote support centre to be able to allocate and manage their own data reviewers.
989706010005	05-2071	IntelliSpace Corsium ReachBak US only (24*7)	Enables the operator of the Tempus Pro to send live monitoring data, SROc events and 12-Lead ECG recordings to the IntelliSpace Corsium support centre. It also allows the transmission of Tempus LS resuscitation data and Tempus Pro continuous waveform data (only provisioned during resuscitation). It enables two-way communication. Following the transmission of the 12-Lead ECG, the IntelliSpace Corsium user can send ECG review results back to the Tempus Pro, and the Tempus Pro operator to send review acknowledgements back to IntelliSpace Corsium. Includes support 24*7 - annual cost.

ECG Monitoring Options





ECG Monitoring Electrodes				
12NC number	RDT P/N	Name	Description	Product photo
989706000601	01-2080	Adult Foam ECG Electrodes x10	Ambu BlueSensor T Adult Foam ECG Electrode, Pack of 10.	
989706010360	01-2152	Ambu ECG Electrodes x25	Ambu BlueSensor ECG Electrodes x25.	





ECG Monitoring Cable Sets				
12NC number	RDT P/N	Name	AAMI cables	Product photo
989706000991	01-2203	3-Lead Neo ECG Modular Cable (AAMI) 6ft	3-Lead Neo ECG Modular Cable (AAMI) 6ft US market only.	
989706010250	01-2002	3-Lead ECG Cable (AAMI) 6ft	3-Lead ECG Cable (AAMI) 6ft for use in countries compatible with AAMI cables.	
989706000531	01-2068	3-Lead ECG Cable (AAMI) 8ft	3-Lead ECG Cable (AAMI) 8ft for use in countries compatible with AAMI cables.	
989706000901	01-2177	4-Lead ECG Modular Cable (AAMI) 8ft	Tempus Pro 4-Lead ECG Modular Trunk Cable (AAMI) without chest lids 8ft., US market only.	
989706010260	01-2003	5-Lead ECG Cable (AAMI) 6ft	5-Lead ECG Cable (AAMI) 6ft for use in countries compatible with AAMI cables.	
989706000541	01-2069	5-Lead ECG Cable (AAMI) 8ft	5-Lead ECG Cable (AAMI) 8ft for use in countries compatible with AAMI cables.	
989706000921	01-2179	6-Lead ECG Limb Leads (AAMI) 8ft	Tempus Pro 6-Lead ECG Limb Leads for Modular Cable (AAMI), US market only.	
989706010270	01-2004	12-Lead ECG Cable (AAMI) 6ft	12-Lead ECG Cable (AAMI) 6ft for use in countries compatible with AAMI cables.	
989706010310	01-2070	12-Lead ECG Cable (AAMI) 8ft	12-Lead ECG Cable (AAMI) 8ft for use in countries compatible with AAMI cables.	







ECG Monitoring Options (continued)

ECG Monitoring Cable Sets				
12NC number	RDT P/N	Name	IEC cables	Product photo
989706000981	01-2202	3-Lead Neo ECG Modular Cable (IEC) 6ft	3-Lead Neo ECG Modular Cable (IEC) 6ft Universal, not for US.	
989706010280	01-2038	3-Lead ECG Cable (IEC) 6ft	3-Lead ECG Cable (IEC) 6ft for use in countries compatible with IEC cables.	
989706000551	01-2071	3-Lead ECG Cable (IEC) 8ft	3-Lead ECG Cable (IEC) 8ft for use in countries compatible with IEC cables.	
989706000931	01-2181	4-Lead ECG Modular Cable (IEC) 8ft	4-Lead ECG Modular Cable (IEC) without chest lids, 8ft.	
989706010290	01-2039	5-Lead ECG Cable (IEC) 6ft	5-Lead ECG Cable (IEC) 6ft for use in countries compatible with IEC cables.	
989706000561	01-2072	5-Lead ECG Cable (IEC) 8ft	5-Lead ECG Cable (IEC) 8ft for use in countries compatible with IEC cables.	
989706000951	01-2183	6-Lead ECG Limb Leads (IEC)	6-Lead ECG Limb Leads for Modular Cable (IEC), Universal, not for the US.	
989706010300	01-2040	12-Lead ECG Cable (IEC) 6ft	12-Lead ECG Cable (IEC) 6ft for use in countries compatible with IEC cables.	
989706010320	01-2073	12-Lead ECG Cable (IEC) 8ft	12-Lead ECG Cable (IEC) 8ft for use in countries compatible with IEC cables.	











SpO₂ Sensors Options

Reusable Sensors SpCO, SpMet & SpO ₂				
12NC number	RDT P/N	Name	M-LNCS sensors	Product photo
989706000611	01-2086	<i>Masimo rainbow M-LNCS DCI Adult-Clip 3ft</i>	<i>Adult Reusable Sensor, 3 ft. (SpCO, SpMet, SpO₂) 1 / box, non-sterile Not made with natural rubber latex Requires rainbow RC Patient Cable.</i>	
989706000841	01-2137	<i>Masimo rainbow M-LNCS DCIP Ped 3ft - Clip</i>	<i>Pediatric Reusable Sensor, 3 ft. (SpCO, SpMet, SpO₂), 1/ box, non-sterile Not made with natural rubber latex.</i>	
989706000661	01-2092	<i>Masimo rainbow M-LNCS DCI SC 400 Adt 3ft - Clip</i>	<i>Adult reusable sensor, 3 ft. (SpHb, SpMet and SpO₂) Not made with natural rubber latex. 400 Spot Checks Requires rainbow RC Patient Cable.</i>	
989706000831	01-2136	<i>Masimo rainbow M-LNCS DCIP SC-400 Ped 3ft - Adh</i>	<i>Pediatric Reusable Sensor, 3 ft. (SpHb, SpO₂ and SpMet). Not made with natural rubber latex. 400 Spot Checks.</i>	

Reusable Sensors SpCO, SpMet & SpO ₂				
12NC number	RDT P/N	Name	RD sensors	Product photo
989803218161	01-2705	<i>"LNCS-II rainbow® DCI 8λ SpCO Adult Reusable Sensor 3ft."</i>	<i>Adult Reusable Sensor, 3 ft. (SpCO, SpMet, SpO₂) 1 sensor, non-sterile Not made with natural rubber latex. Requires RD/LNC-II rainbow patient cables.</i>	
989803218171	01-2706	<i>"LNCS-II rainbow® DCIP 8λ SpCO Paediatric Reusable Sensor, 3 ft."</i>	<i>Paediatric Reusable Sensor, 3 ft. (SpCO, SpMet, SpO₂), 1 sensor, non-sterile. Not made with natural rubber latex. Requires RD/LNC-II rainbow patient cables.</i>	
989803218241	01-2713	<i>LNCS-II rainbow® DCI 8λ SpHb, SC-400 Adult Reusable Sensor, 3ft.</i>	<i>Adult reusable sensor, 3 ft. (SpHb, SpO₂ and SpMet). 1 sensor. Not made with natural rubber latex. Requires RD/LNC-II rainbow patient cables.</i>	
989803218251	01-2714	<i>"LNCS-II rainbow® DCIP 8λ SpHb, SC-400 Paediatric Reusable Sensor, 3ft"</i>	<i>Paediatric Reusable Sensor, 3 ft. (SpHb, SpO₂ and SpMet). 1 sensor. Not made with natural rubber latex. Requires RD/LNC-II rainbow patient cables.</i>	

Reusable Sensors SpO ₂				
12NC number	RDT P/N	Name	M-LNCS sensors	Product photo
989706000631	01-2089	<i>MasimoSET M-LNCS DBI Adt Reusable Sensor</i>	<i>Adult Soft Reusable Sensor, 3 ft, non-sterile. Not made with natural rubber latex, Box of 1.</i>	
989706000711	01-2123	<i>MasimoSET M-LNCS DCI Adt 3ft - Clip</i>	<i>Adult Reusable Sensor, 3 ft., 1/ box, non-sterile. Not made with natural rubber latex.</i>	
989706000721	01-2124	<i>MasimoSET M-LNCS DCI-P Ped 3ft - Clip</i>	<i>Pediatric Reusable Sensor, 3 ft., 1/ box, non-sterile. Not made with natural rubber latex.</i>	
12NC number	RDT P/N	Name	RD sensors	Product photo
989706001631	01-2269	<i>Masimo RD SET DBI Adt Soft Sensor 3ft</i>	<i>Adult Reusable Soft Sensor, 3 ft 1 / box, non-sterile Weight > 30 kg. Not made with natural rubber latex.</i>	
989706001911	01-2273	<i>Masimo RD SET DCI Adt Sensor 3ft</i>	<i>Adult Reusable Sensor, 3 ft., 1/ box, non-sterile. Not made with natural rubber latex.</i>	
989706001921	01-2274	<i>Masimo RD SET DCI-P Ped Sensor 3ft</i>	<i>Pediatric Reusable Sensor, 3 ft., 1/ box, non-sterile. Not made with natural rubber latex.</i>	






SpO₂ Sensors Options (continued)

Single use Sensor SpHb, SpMet & SpO ₂				
12NC number	RDT P/N	Name	M-LNCS sensors	Product photo
989706000751	01-2128	Masimo rainbow R1 25 Adt 1ft - Adh	Adult Adhesive Sensors (SpHb, SpO ₂ , SpMet), Single patient use, 10/ box, non-sterile, not made with natural rubber latex.	
989706000761	01-2129	Masimo rainbow R1 20 Ped 1ft - Adh	Pediatric / Slender Digit Adhesive Sensors (SpHb, SpO ₂ , SpMet), Single patient use, 10/ box, non-sterile, not made with natural rubber latex.	
989706000771	01-2130	Masimo rainbow R1 20L Inf 1ft - Adh	Infant Adhesive Sensors (SpHb, SpO ₂ , SpMet), Single patient use, 10/ box, non-sterile. Not made with natural rubber latex.	
989706000781	01-2131	Masimo rainbow R1 25L Adt/Neo 1ft - Adh	Adult/Neonatal Adhesive Sensors (SpHb, SpO ₂ , SpMet), Single patient use, 10/ box, non-sterile. Not made with natural rubber latex.	
12NC number	RDT P/N	Name	RD sensors	Product photo
989706002001	01-2282	Masimo RD rainbow SET-2 Adt 2ft - Adh	Adult rainbow® Sensor – SpO ₂ , SpHb®, and SpMet® > 30 kg, 2 ft. Single patient use, 10/ box, non-sterile. Not made with natural rubber latex.	
989706002011	01-2283	Masimo RD rainbow SET-2 Pdt 2ft - Adh	Adult rainbow® Sensor – SpO ₂ , SpHb®, and SpMet® 10-50 kg, 2 ft. Single patient use, 10/ box, non-sterile. Not made with natural rubber latex.	
989803218221	01-2711	RD rainbow SET-2 Neo Adult / Neonatal Adhesive Sensors	Adult/ Neonatal Adhesive Sensors (SpHb, SpO ₂ , SpMet) Single patient use, 10 / box, non-sterile. Not made with natural rubber latex. Requires RD rainbow SET Series patient cables.	
989803218231	01-2712	RD rainbow SET-2 Infant Adhesive Sensors	Infant Adhesive Sensors (SpHb, SpO ₂ , SpMet), Single patient use, 10/ box, non-sterile. Not made with natural rubber latex. Requires RD rainbow SET Series patient cables.	
Single use Sensor SpCO, SpMet & SpO ₂				
12NC number	RDT P/N	Name	M-LNCS sensors	Product photo
989706000791	01-2132	Masimo rainbow R25 Adt 1ft - Adh	Adult Adhesive Sensors (SpO ₂ , SpCO, SpMet), Single patient use, 10/ box, non-sterile. Not made with natural rubber latex.	
989706000801	01-2133	Masimo rainbow R20 Ped 1ft - Adh	Pediatric Adhesive Sensors, (SpO ₂ , SpCO, SpMet), Single patient use, 10/ box, non-sterile. Not made with natural rubber latex.	
989706000811	01-2134	Masimo rainbow R20 Ped 1ft - Adh	Infant Adhesive Sensors (SpO ₂ , SpCO, SpMet), Single patient use, 10/ box, non-sterile. Not made with natural rubber latex.	
989706000821	01-2135	Masimo rainbow R20 Ped 1ft - Adh	Adult / Neonatal Adhesive Sensors (SpO ₂ , SpCO, SpMet), Single patient use, 10/ box, non-sterile. Not made with natural rubber latex.	









SpO₂ Sensors Options (continued)

Single use Sensor SpO ₂				
12NC number	RDT P/N	Name	M-LNCS sensors	Product photo
989706000641	01-2090	MasimoSET M-LNCS Adtx-3 Adt 3ft - Adh	Adult SpO ₂ Adhesive Sensors, 3 ft. Single patient use, 20/ box, sterilizable. Not made with natural rubber latex.	
989706000651	01-2091	MasimoSET M-LNCS Neo-3 Neo 3ft - Adh	Neonatal SpO ₂ Adhesive Sensors, 3 ft. Single patient use, 20/ box, sterilizable. Not made with natural rubber latex.	
989706000671	01-2095	MasimoSET M-LNCS Pdtx-3 Ped 3ft - Adh	Pediatric SpO ₂ Adhesive Sensors, 3 ft. Single patient use, 20/ box, sterilizable. Not made with natural rubber latex.	
989706000731	01-2126	MasimoSET M-LNCS INF-3 Inf 3ft - Adh	Infant SpO ₂ Adhesive Sensors, 3 ft. Single patient use, 20/ box, sterilizable. Not made with natural rubber latex.	
989706000741	01-2127	MasimoSET M-LNCS NEOPT-3 Neo 3ft - Adh	Neonatal SpO ₂ Adhesive Sensors, 3 ft. Single patient use, 20/ box, sterilizable. Not made with natural rubber latex.	
989706001941	01-2276	Masimo RD SET Adt CS-3 3ft - Adh	Adult SpO ₂ Adhesive sensor >30 kg, 3 ft. Single patient use, 20/ box. Not made with natural rubber latex.	
989706001961	01-2278	Masimo RD SET Pdt CS-3 3ft - Adh	Pediatric SpO ₂ Adhesive sensor 10-50 kg, 3 ft. Single patient use, 20/ box. Not made with natural rubber latex.	
989706001971	01-2279	Masimo RD SET Inf CS-3 3ft - Adh	Infant SpO ₂ Adhesive sensor 3-20 kg, 3 ft. Single patient use, 20/ box. Not made with natural rubber latex.	
989706001981	01-2280	Masimo RD SET Neo CS-3 3ft - Adh	Neonatal/Adult SpO ₂ Adhesive Sensor < 3 kg or >40 kg, 3 ft. Single patient use, 20/ box, sterilizable. Not made with natural rubber latex.	
989706001991	01-2281	Masimo RD SET NeoPt CS-3 3ft - Adh	Neonatal SpO ₂ Adhesive sensor < 1 kg, 3 ft. Single patient use, 20/ box. Not made with natural rubber latex.	
989803218181	01-2707	RD rainbow Neo 8λ SpCO Neo Adhesive Sensors	Neonatal Adhesive Sensors (SpO ₂ , SpCO, SpMet), Single patient use, 10/ box, non-sterile. Not made with natural rubber latex. RD rainbow SET series patient cables.	
989803218191	01-2708	RD rainbow Inf 8λ SpCO Infant Adhesive Sensors	Infant Adhesive Sensors (SpO ₂ , SpCO, SpMet), Single patient use, 10/ box, non-sterile. Not made with natural rubber latex. Requires RD rainbow SET series patient cable.	
989803218201	01-2709	“RD rainbow Adt 8λ SpCO Adult Adhesive Sensors”	Adult Adhesive Sensors (SpO ₂ , SpCO, SpMet), Single patient use, 10/ box, non-sterile. Not made with natural rubber latex. Requires RD rainbow SET series patient cables.	
989803218211	01-2710	“RD rainbow Pdt 8λ SpCO Paediatric Adhesive Sensors”	Paediatric Adhesive Sensors, (SpO ₂ , SpCO, SpMet), Single patient use, 10/ box, non-sterile. Not made with natural rubber latex. Requires RD rainbow SET series patient cables.	






SpO₂ Sensors Options (continued)

12NC number	RDT P/N	Name	RD sensors	Product photo
989803217391	01-2700	Masimo RD SET TC-I Reusable Ear 3ft	Adult/Paediatric (weighing >30 kg) SpO ₂ Reusable Ear Sensor, 3 ft. non-sterile. Not made with natural rubber latex.	
989803217401	01-2701	Masimo RD SET E1 Adt Ear 3ft - Adh	Adult SpO ₂ single patient use Ear Sensor, 3 ft. 10/ box, non-sterile. Not made with natural rubber latex.	
989803217411	01-2702	Masimo RD SET Trauma Adt - Adh	Adult SpO ₂ single patient use Trauma Sensor, 20/ box, non-sterile. Not made with natural rubber latex.	
989803217421	01-2703	Masimo RD SET Newborn Inf/Ped - Adh	Newborn Infant/Paediatric SpO ₂ single patient use sensor, 20/ box, non-sterile. Not made with natural rubber latex.	
989803217431	01-2704	Masimo RD SET Newborn Neo - Adh	Newborn/Neonatal SpO ₂ single patient use sensor, 20/ box, non-sterile. Not made with natural rubber latex.	

Patient Cables Options

Rainbow Patient Cables				
12NC number	RDT P/N	Name	M-LNCS sensors cables	Product photo
989803182411	01-2088	Masimo rainbow RC25-4RA 25-Pin, 4ft	rainbow 25-pin, right angle Patient Cable, 4 ft for use with rainbow and M-LNCS sensors.	
989706000851	01-2138	MasimoSET rainbow Cable RC25-12RA, 12ft	rainbow 25-pin, right angle Patient Cable, 12 ft for use with rainbow and M-LNCS sensors.	
989706010120	01-2267	Masimo Rainbow Cable RC25-4RA EMS, 4ft	Masimo SET rainbow Cable M-LNCS RC25-4RA EMS 25-Pin, 4ft	
12NC number	RDT P/N	Name	RD sensor cables	Product photo
989706001621	01-2268	Masimo RD rainbow SET RA Cable 25-Pin, 5ft	rainbow 25-pin Patient Cable, Right Angle Connector for use with RD SET series sensors 5ft.	
989706002031	01-2285	Masimo RD rainbow SET RA25 - 08, 8ft	rainbow 25-pin Patient Cable, Right Angle Connector for use with RD rainbow SET and RD SET sensors 8 ft.	
989706002021	01-2284	Masimo RD rainbow SET RA25 - 12, 12ft	rainbow 25-pin Patient Cable, Right Angle Connector for use with RD rainbow SET and RD SET sensors 12 ft.	
989803219791		RD rainbow SET RA25-04, EMS, Patient Cable	Right angle Patient Cable, 25-pin, 4 ft for use with Masimo RD rainbow and RD SET sensors.	
SpO ₂ Adapter				
12NC number	RDT P/N	Name	RD sensor adaptors	Product photo
989706002041	01-2286	Masimo RD to M-LNC Adapter Cable, 1.5ft	RD SET Series to M-LNC or RC Patient Cable, 1.5ft.	

Blood pressure options

Invasive Blood Pressure				
12NC number	RDT P/N	Name	Description	Product photo
989706000321	01-2017	External USB 2-Channel IBP Module	Compatible with Tempus Pro, extends the IBP up to 4 channels, USB connected.	
989706000401	01-2048	2-Channel Invasive Pressure Adaptor 8ft	Compatible with Tempus Pro, Utah Deltran 8 ft. 2-Channel Adaptor.	
989706000681	01-2108	2-Channel Invasive Pressure Universal Cable	Tempus Pro IBP 2-Channel Universal Cable.	
989706000691	01-2113	Transpac & ArtLine Transducer Adaptor Cable	Transpac & ArtLine Transducer Adaptor Cable is necessary when using 2-Channel Invasive Pressure Universal Cable P/N 01-2108.	
98970601006026	01-2052	IBP Edwards Adaptor Cable 8ft	IBP Edwards TruWave adaptor cable 8ft.	

Non-Invasive Blood Pressure				
12NC number	RDT P/N	Name	Description	Product photo
989706002071	01-2272	Reusable NIBP Cuff - Large Adult Plus (Burgundy)	Reusable Blood Pressure Cuff is suitable for large adults plus (40-55cm) non invasive blood pressure.	
989706000241	01-1003	Reusable NIBP Cuff - Large Adult (Burgundy)	Reusable Blood Pressure Cuff is suitable for large adults (31-40cm) non invasive blood pressure.	
989706002061	01-2271	Reusable NIBP Cuff - Adult Plus (Dark Blue)	Reusable Blood Pressure Cuff is suitable for adults (28-40cm) non invasive blood pressure.	
989706000231	01-1002	Reusable NIBP Cuff - Adult (Dark Blue)	Reusable Blood Pressure Cuff is suitable for adults (23-33cm) non invasive blood pressure.	
989706002051	01-2270	Reusable NIBP Cuff - Small Adult Plus (Light Blue)	Reusable Blood Pressure Cuff is suitable for small adults (17-28cm) non invasive blood pressure.	
989706000701	01-2119	Reusable NIBP Cuff - Small Adult (Light Blue)	Reusable Blood Pressure Cuff is suitable for small adults (17-25cm) non invasive blood pressure.	
989706000251	01-1004	Reusable NIBP Cuff - Child (Green)	Reusable Blood Pressure Cuff is suitable for children (12-19cm) non invasive blood pressure.	
989706000331	01-2021	Reusable NIBP Cuff - Infant (Orange)	Reusable Blood Pressure Cuff is suitable for children (8-13cm) non invasive blood pressure.	
989706000291	01-1032	Reusable NIBP Cuff - Adult Thigh (Brown)	Reusable Blood Pressure Cuff is suitable for adult thigh (38-50cm) non invasive blood pressure.	

Blood pressure options (continued)






12NC number	RDT P/N	Name	Description	Product photo
989706001041	01-2234	Disposable NIBP Cuff - Large Adult x20	Disposable Blood Pressure Cuff is suitable for large adults (31-40cm) non invasive blood pressure, Box of 20.	
989706001031	01-2233	Disposable NIBP Cuff - Adult x20	Disposable Blood Pressure Cuff is suitable for adults (23-33cm) non invasive blood pressure, Box of 20.	
989706001021	01-2232	Disposable NIBP Cuff - Small Adult x20	Disposable Blood Pressure Cuff is suitable for small adults (17-25cm) non invasive blood pressure, Box of 20.	
989706001001	01-2230	Disposable NIBP Cuff - Infant x20	Disposable Blood Pressure Cuff is suitable for infants (8-13cm) non invasive blood pressure, Box of 20.	
989706001011	01-2231	Disposable NIBP Cuff - Child x20	Disposable Blood Pressure Cuff is suitable for children (12-19cm) non invasive blood pressure, Box of 20.	
989706001051	01-2235	Disposable NIBP Cuff - Thigh x20	Disposable Blood Pressure Cuff is suitable for thighs (38-50cm) non invasive blood pressure, Box of 20.	
989706000381	01-2034	Single Use Neonate BP Cuff (8-15cm)	Neonatal single use blood pressure cuffs, 8-15cm, Box of 20.	
989706000371	01-2033	Single Use Neonate BP Cuff (7-13cm)	Neonatal single use blood pressure cuffs, 7-13cm, Box of 20.	
989706000361	01-2032	Single Use Neonate BP Cuff (6-11cm)	Neonatal single use blood pressure cuffs, 6-11cm, Box of 20.	
989706000351	01-2031	Single Use Neonate BP Cuff (4-8cm)	Neonatal single use blood pressure cuffs, 4-8cm, Box of 20.	
989706000341	01-2030	Single Use Neonate BP Cuff (3-6cm)	Neonatal single use blood pressure cuffs, 3-6cm, Box of 20.	
989706010760	01-2155	NIBP Cuff Kit	NIBP Cuff Kit including Reusable NIBP Cuff - Adult, Lrge Adult, Child, Adult Thigh	
989706000521	01-2067	Neonate NIBP Hose Adaptor 0.4ft	Compatible with Tempus Pro, Neonate Patient Hose Adaptor by CPC/Luer.	
989706000261	01-1006	NIBP Hose 4ft	Reusable Blood Pressure Hose for non invasive blood pressure, compatible with Tempus Pro and Tempus IC2, 4ft.	
989706000571	01-2074	NIBP Hose 8ft	Reusable Blood Pressure Hose for non invasive blood pressure, compatible with Tempus Pro and Tempus IC2, 8ft.	

Capnography Options


Capnography options are available by RDT for the US market only. All other markets' orders should be fulfilled in MCS

US ONLY				
12NC number	RDT P/N	Name	Description	Product photo
989706001561	01-2147	FilterLine Set Adult/ Pediatric 25units (P/N 015021)	US ONLY	
989706001541	01-2146	FilterLine H Set Adult/ Pediatric 25units (P/N 015016)	US ONLY	
989706001551	01-2148	FilterLine H Set Infant/ Neonatal 25units (P/N 015028)	US ONLY	
989706001591	01-2145	Filterline H Set Adult/ Pediatric 25units (P/N 015026)	US ONLY	
989706001571	01-2144	Smart CapnoLine Pediatric O ₂ 25units (P/N 015027)	US ONLY	
989706001581	01-2143	Smart CapnoLine Plus Adult/Intermediate O ₂ 25units (P/N 015018)	US ONLY	
989706002221	01-2171	Nomoline Airway Adaptor Set 2.0m	Airway adaptor (Box of 25) Sampling line with straight airway adaptor, single-patient use, Adult/Pediatric	



Capnography Options (continued)





All other markets				
12NC number	RDT P/N	Name	Comment	Product photo
989803204511	n/a	Adv Adult- Ped Intubated, shD19:D26rt-term	This part replaces M1920A. Please only order 989803204511 if inventory of the old part is no longer available or is discontinued in the customer's region.	
989803204521	n/a	Adv Adult-Ped Intubated, long-term	This part replaces M1921A. Please only order 989803204521 if inventory of the old part is no longer available or is discontinued in the customer's region.	
989803204531	n/a	Adv Neo Intubated, long-term	This part replaces M1923A. Please only order 989803204531 if inventory of the old part is no longer available or is discontinued in the customer's region.	
989803204301	n/a	Adv Adult-Ped Intubated, high- humidity	This part replaces 989803159571. Please only order 989803204301 if inventory of the old part is no longer available or is discontinued in the customer's region.	
989803204541	n/a	Adv Ped Oral-N, O ₂ , short-term	This part replaces M2520A. Please only order 989803204541 if inventory of the old part is no longer available or is discontinued in the customer's region.	
989803204551	n/a	Adv Adult Oral-N, O ₂ , short-term	This part replaces M2522A. Please only order 989803204551 if inventory of the old part is no longer available or is discontinued in the customer's region.	
989803204571	n/a	Adv Adult Oral-N, short-term	This part replaces M2526A. Please only order 989803204571 if inventory of the old part is no longer available or is discontinued in the customer's region.	
989803204621	n/a	Adv Adult Nasal, long- term	This part replaces M4689A. Please only order 989803204621 if inventory of the old part is no longer available or is discontinued in the customer's region.	




Temperature options

Temperature options				
12NC number	RDT P/N	Name	Description	Product photo
989803217171	01-2316	Contact Temp Adaptor Cable	Contact Temp Adaptor Cable	
989803220781	N/A	Contact Temperature Probe	Reusable Contact Temperature Probe	

Ultrasound & Video Laryngoscopy

Ultrasound				
12NC number	RDT P/N	Name	Description	Product photo
989706001601	01-2008	USB 3.5MHz Gen Abdominal U/S Probe(GP)	Tempus Pro USB 3.5MHz General Abdominal Ultrasound Probe(GP). This device is a hand-held, single element, mechanical sector probe intended to be used as an accessory to the Tempus Pro monitor. The nominal operating frequency is 3.5 MHz. In B-mode the transducer operates over a 35 mm2 area as an end-firing probe. This device can be used with the Tempus Pro vital signs monitor for the transcutaneous imaging of neonatal, abdominal organs and structures including the gastrointestinal tract, kidney, bladder, etc.	
989706001611	01-2042	USB 7.5MHz Vascular U/S Probe (LP)	Tempus Pro USB 7.5MHz Vascular Ultrasound Probe (LP). This device is a hand-held, single element, mechanical sector probe. The nominal operating frequency is 7.5 MHz. In B-mode the transducer operates over a 29 mm2 area as an end-firing probe. This device can be used with the Tempus Pro vital signs monitor for the transcutaneous imaging of peripheral vessels and small organs.	

Video Laryngoscopy				
12NC number	RDT P/N	Name	Description	Product photo
989706000301	01-2010	Video Laryngoscope Blade - Size 3	Video Laryngoscope Single Size 3 Macintosh Blade, Single use, Pack of 10.	
989706000311	01-2011	Video Laryngoscope Blade - Size 4	Video Laryngoscope Single Size 4 Macintosh Blade, Single use, Pack of 10.	
989706000511	01-2063	Video Laryngoscope D Blade	Video Laryngoscope D Blade, Single use, Pack of 10.	
989706000391	01-2044	USB C-MAC S Imager Video Laryngoscope	C-MAC S Imager Video Laryngoscope connects to the Tempus Pro via USB.	








Anesthetic Gas*				
12NC number	RDT P/N	Name	Description	Product photo
989706002231	01-2255	AA Gas Exhaust Kit	AA Gas Exhaust Kit	
989706002141	01-2167	ISA OR+ sidestream Analyser	Optional external module to allow Tempus Pro to monitor volatile anaesthetic agent (AA) gases, CO2, O2 and optionally N2O. (Requires Tempus to ISA OR+ adaptor cable).	
989706002211	01-2168	Tempus to ISA OR+ adaptor cable	Cable to connect the ISA OR+ sidestream Analyser to the Tempus Pro	

*Anesthetic Gas Monitoring is not available in the US

Power Supply Options

Power Supply Options				
12NC number	RDT P/N	Name	Description	Product photo
989706000421	01-2051	Tempus Pro Lithium-ion Battery	Tempus Pro Lithium-Ion Battery, Black color, Pack of 1.	
989706001101	01-3011	Tempus LS Lithium-ion Battery	Tempus LS Lithium-Ion Battery, Black color, Pack of 1.	
989706000271	01-1012	Tempus battery charger	Battery charger for all Tempus devices 110/ 240V. Mains cables not included, please order seperatly.	
989706000871	01-2159	2-Core Battery Charger Cable - UK	Connects battery charger to mains. Compatible with Tempus Pro, UK market only.	
989706000881	01-2160	2-Core Battery Charger Cable - Euro	Connects battery charger to mains. Compatible with Tempus Pro, European market only.	
989706000891	01-2161	2-Core Battery Charger Cable - US	Connects battery charger to mains. Compatible with Tempus Pro, US market only.	
989706010170	01-2059	2-Core Battery Charge Cable - CH	Connects battery charger to mains. Compatible with Tempus Pro, Swiss market only.	
989706010190	01-2162	2-Core Battery Charge Cable - SA	Connects battery charger to mains. Compatible with Tempus Pro, South African market only.	
989706010180	01-2061	2-Core Battery Charger Cable - AUS	Connects battery charger to mains. Compatible with Tempus Pro, Australian market only.	
989803219281	N/A	Tempus Pro Vehicle Power Supply	DC vehicle power supply for charging Tempus Pro.	
989803219271	N/A	Tempus Mains Power Supply	Compatible with Tempus Pro, 110/ 240V. Mains cables not included, please order seperatly.	
989706000441	01-2054	Mains Cable - South African (Earthed)	Connects to the Tempus Pro and Tempus LS power supply for South Africa.	
989706000451	01-2055	Mains Cable - USA (Earthed)	Connects to the Tempus Pro and Tempus LS power supply for US.	

Power Supply Options (continued)

Power Supply Options				
12NC number	RDT P/N	Name	Description	Product photo
989706000461	01-2056	Mains Cable - UK (Earthed)	Connects to the Tempus Pro and Tempus LS power supply for UK.	
989706000471	01-2057	Mains Cable - Schuko/ Euro (Earthed)	Connects to the Tempus Pro and Tempus LS power supply for Europe.	
989706000481	01-2058	Mains Cable - Swiss (Earthed)	Connects to the Tempus Pro and Tempus LS power supply for Switzerland.	
989706000491	01-2060	Mains Cable - Australian (Earthed)	Connects to the Tempus Pro and Tempus LS power supply for Australia.	
989706000501	01-2062	Mains Cable - Israeli (Earthed)	Connects to the Tempus Pro and Tempus LS power supply for Israel.	
989706001721	01-2287	Mains Cable - Thailand (Earthed)	Connects to the Tempus Pro and Tempus LS power supply for Thailand.	
989706010680	01-2164	Mains Cable Pack	Mains Cable Pack including 2-Core Battery Charger Cable - UK, Euro, US and mains cable (Earthed) US,UK, Schuko/Euro	

Storage & Transport Options






Storage & Transport Options				
12NC number	RDT P/N	Name	Description	Product photo
989706000971	01-2200	Tempus Pro Shoulder Strap	Tempus Pro Shoulder Strap only with locking mechanism. This product doesn't include 20G fixings kit.	
989706012600	26-2040	Tempus Pro Shoulder Strap Kit	Tempus Pro Shoulder Strap Replacement Kit	
989706001061	01-2241	Saddlebag for Tempus Pro - Left	Useful for storage of medical accessories/ consumables, 3 sections. Bracket kit not included. Please order separately.	
989706001731	01-2238	Saddlebag for Tempus Pro - Right	Useful for storage, 1 section. Bracket kit not included. Please order separately.	
989706011150	01-2259	Tempus Pro Left Tactical Saddlebag	Left Tactical Saddlebag for Tempus Pro. Bracket kit not included. Please order separately.	
989706011160	01-2260	Tempus Pro Right Tactical Saddlebag	Left Tactical Saddlebag for Tempus Pro. Bracket kit not included. Please order separately.	
989706012580	26-2030	Tempus Pro Left Saddlebag Bracket Kit	Tempus Pro Left Saddlebag Bracket Kit. Saddlebag not included. Please order separately.	
989706012590	26-2031	Tempus Pro Right Saddlebag Bracket Kit	Tempus Pro Right Saddlebag Bracket Kit. Saddlebag not included. Please order separately.	
989706001071	01-2244	Tempus Pro Smart Mount	Docking and charging station for Tempus Pro, 2x USB ports, 1x Ethernet port.	
989706001111	01-3012	Tempus LS Mount	Docking and charging station for Tempus LS, 2x USB ports.	
989706001901	01-2035	Tempus Pro Litter/Pole Clamp	Mounting solution to enable the Tempus to be safely mounted to litters, stretchers and poles.	
989706010020	01-2400	Tempus Pro Hard Transit Case	Rigid protective transit case for shipping Tempus Pro	
989706010130	01-3025	Tempus LS Mount Claw Adapter Kit	Tempus LS Mount Claw Adapter Kit	
989706010720	01-2251	Tempus Pro Smart Mount Adaptor Plate Kit	Tempus Pro Smart Mount Adaptor Plate Kit	
989706002241	01-2258	ISA OR+ Ferno Mount Bracket	Option for mounting AA gas module on the Tempus Pro Litter Mount	

Monitors Other Options

Tempus Pro				
12NC number	RDT P/N	Name	Description	Product photo
989706011140	01-2186	Printer Paper Roll with 110mm Grid x1	Tempus Pro Printer Paper with 110mm Grid, Pack of 1.	
989706000961	01-2187	Printer Paper Roll with 110mm Grid x10	Tempus Pro Printer Paper with 110mm Grid, Box of 10.	
989706010210	01-2109	Tempus Ethernet Cable 10ft	Tempus Ethernet Cable 10ft.	
989706010230	01-2252	Corsium Crew Extended Display TV Cable	Corsium Crew Extended Display TV Cable.	
989706010090	01-2298	Inseego 4G Dongle Kit - Field.	Field upgrade: Dongle + Mounting Kit + USB Stick. Only for Tempus Pro options in 867422 and 867423.	
989706012560	01-2302	Inseego USB 4G Dongle Replacement	Dongle only. Only for Tempus Pro options in 867422 and 867423.	
989706012570	26-4000	Inseego 4G Dongle Mounting Kit	Mounting kit only. Only for Tempus Pro options in 867422 and 867423.	
989706000281	01-1019	Tempus Pro Wired Headset	2-way communication, built-in microphone, 2.5mm jack, black color.	
989706010850	01-2041	Tempus Pro Tactical Headset Adaptor	Tempus Pro Tactical Headset Adaptor.	

Monitors Other Options (continued)

Tempus LS				
12NC number	RDT P/N	Name	Description	Product photo
989706001081	01-3001	Tempus LS Electrodes - Adult x1	Tempus LS Defibrillating/ Pacing Electrodes for adults, pack of 1.	
989706001121	01-3013	Tempus LS Electrodes - Pediatric x1	Tempus LS Defibrillating/ Pacing Electrodes for children, pack of 1.	
989706001091	01-3010	CPR Puck - Reusable x1	Compatible with Tempus LS. Needs to be ordered with CPR Puck Single Use Adh Pads P/N 01-3014.	
989706001131	01-3014	CPR Puck - Single Use Adh Pads x5	Consumables to be used with CPR Puck - Reusable P/N 01-3010.	
989706001141	01-3015	Tempus LS Defib Simulator	Plugged in Tempus LS it simulates a heart rhythm enabling you to give a shock with Tempus LS.	
989803220961	N/A	Tempus LS DSD simulator	Simulates shock to measure the energy emitted by the Tempus LS.	

Tempus LS-Manual				
12NC number	RDT P/N	Name	Description	Product photo
989706010040	01-3020	Tempus LS-Manual Electrodes-Adu x1	Tempus LS-Manual Defibrillating/ Pacing Electrodes for adults, pack of 1	
989706010050	01-3021	Tempus LS-Manual Electrodes-Ped x1	Tempus LS-Manual Defibrillating/ Pacing Electrodes for children, pack of 1	
989706010080	01-3023	CPR Sensor US only	Compatible with Tempus LS. Needs to be ordered with CPR Puck Single Use Adh Pads P/N 01-3022	
989706010100	01-3022	CPR Sensor - Single Use Adh Pads x5 US	Consumables to be used with CPR Puck - Reusable P/N 01-3023	
989706001141	01-3015	Tempus LS-Manual Defib Simulator	Plugged in Tempus LS it simulates a heart rhythm enabling you to give a shock with Tempus LS.	
989803220961	N/A	Tempus LS DSD simulator	Simulates shock to measure the energy emitted by the Tempus LS.	

Instructions for Use

All products' IFUs are publicly available to view or download at www.philips.com/ifu - search by RDT P/N or product name. Administrator and Super Administrator Manuals are not publicly available. Please contact: rdt_techsupport@philips.com



